

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	25	L3 and 707/104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 15:31
L3	322	(class\$9 with (primary with key\$1))and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 15:31
L2	11	L1 and 707/104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 15:31
L1	528	(classif\$7 with iterative\$2) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 15:31
S204	3	"20060064415"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 12:48
S203	37	S202 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 11:38
S202	264	(classif\$7 near5 iterative\$2) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 11:38
S201	528	(classif\$7 with iterative\$2) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 11:38

S200	0	10/824251 and iterative	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 11:33
S199	0	10/824251 and iterative\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 11:33
S198	0	10/824251 and iterative\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 11:33
S197	1	"20040024790" and ((classif\$7 with (primary with key\$1)) or classif\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 11:11
S196	45	(classif\$7 with (primary with key\$1))and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 11:02
S195	322	(class\$9 with (primary with key\$1))and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 11:00
S194	39	((determin\$3 or classif\$4 or categor\$7 or group\$3) near3 (item\$1 or entit\$3 or data or input or object\$ or type\$1) near5 (GUI or interface\$1)) same (description\$1 or scheme\$1 or schema or model\$1) and (database near2 model\$1))and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 10:59
S193	2	10/824251 and (classif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 10:51

S192	4	09/618390	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 10:27
S191	2	10/824251 and system\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 10:21
S190	2	10/824251 and system\$!	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 10:21
S189	0	(document\$1 and similarity). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:34
S188	0	(document\$ near\$ similarity). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:33
S187	8	S185 and 715/762.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 12:58
S186	6	S185 and 707/104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 12:56
S185	244	((determin\$ or classif\$4 or categor\$7 or group\$3) near3 (item\$1 or entit\$3 or data or input or object\$ or type\$1) near5 (GUI or interface\$1)) with (description\$1 or scheme \$1 or schema or model\$1)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 12:56
S184	2	"6738077".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 12:55

S183	1	"6035300".pn. and table\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 18:04
S182	2	"6404445".pn. and table\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 18:03
S181	1	"6035300".pn. and log\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 17:43
S180	0	"6035300".pn. and login	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 17:43
S179	2	"6035300".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 17:43
S178	0	"6035300".pn. and password	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 17:43
S177	0	"6035300".pn. and security	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 17:43
S176	0	"6035300".pn. and authentic \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 17:42
S175	0	"6404445".pn. and authent\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 17:40

S174	0	"6404445".pn. and authentic \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 17:40
S173	0	"6035300".pn. and html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 16:43
S172	0	"6035300".pn. and xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 16:43
S171	1	"6035300".pn. and (chang\$3 near3 key\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 16:32
S170	1	"6035300".pn. and alternate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 16:29
S169	1	"20040193652" and (computer with readable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 15:20
S168	1	"6035300".pn. and (user adj interface adj model\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 13:20
S167	1	"6035300".pn. and (user near2 interface near2 model \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 13:18
S166	2	"6035300".pn. and user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 12:23

S165	2	"6035300".pn. and (interface\$1 or generat\$3 or chosen or determin\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 12:12
S164	2	"6035300".pn. and (interface\$1 or generat\$3 or chosen or determin\$3)\	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 12:12
S163	3	09/618,390	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 11:16
S162	10	((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz\$5) near5 interface\$1) with (database\$1 near2 model\$1)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 11:15
S160	0	((determin\$3 or classif\$4 or categor\$7 or group\$3) near3 (item\$1 or entit\$3 or data or input or object\$ or type\$1) near5 (GUI or interface\$1)) same (description\$1 or scheme\$1 or schema or model\$1) same (database near2 model\$1))and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 11:14
S159	244	((determin\$3 or classif\$4 or categor\$7 or group\$3) near3 (item\$1 or entit\$3 or data or input or object\$ or type\$1) near5 (GUI or interface\$1)) with (description\$1 or scheme\$1 or schema or model\$1)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 10:50
S158	349	S157 and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 10:48
S157	1731	((determin\$3 or classif\$4 or categor\$7 or group\$3) near3 (item\$1 or entit\$3 or object\$) near5 (GUI or interface\$1)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 10:48

S156	450	S154 and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 10:48
S155	0	S154 and "715".ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 10:47
S154	3048	((determin\$3 or classif\$4 or categor\$7 or group\$3) near3 (item\$1 or entit\$3 or object\$ or type\$1) near5 (GUI or interface\$1)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 10:47
S153	7850	((determin\$3 or classif\$4 or categor\$7 or group\$3) near3 (item\$1 or entit\$3 or data or input or object\$ or type\$1) near5 (GUI or interface\$1)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 10:46
S152	1	10/982441	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 13:52
S151	70	(database adj model\$1).clm. and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 10:53
S150	2	"6738077".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 10:44
S149	0	345/744.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 10:43
S148	0	345/762.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 10:42

S147	0	345/7762.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 10:42
S146	0	345/744.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 10:42
S145	118	S144 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 10:31
S144	272	(database with model\$1 with interface\$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 10:31
S143	180	S142 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 10:31
S142	447	(database with model\$1 same interface\$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 10:30
S141	4	S140 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 10:21
S140	12	(database with model\$1 same (description\$1 with interface \$1)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 10:20
S139	44	S138 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 10:17

S138	112	(database with model\$1 same description\$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 10:16
S137	3399	(database with model\$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 10:15
S136	0	(database with model\$1 with descrtipion\$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 10:15
S135	1	"20040193652" and (authentication or login or password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/23 16:24
S134	2	"6308167".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/23 14:36
S133	2	"6308167".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/23 12:14
S132	2	"6738077".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/23 12:03
S131	1	"20040193652" and (medium or media or communication\$1 or wireless or signal\$1 or wave\$1 or readable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/23 11:17
S130	1	"20040193652" and (medium or media or communication\$1 or wireless or signal\$1 or wave\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/23 11:17

S129	1	"7076784".pn. and role\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 10:56
S128	116	(role\$1 with user\$1 with provid\$3) and @ad<"20000301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 10:56
S127	569	(role\$1 with user\$1 with provid\$3) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 10:49
S126	992	(role\$1 with (user\$1 or administrator\$1) with interface\$1) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 10:48
S125	2622	(role\$1 same (user\$1 or administrator\$1) same interface\$1) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 10:47
S7	104	(databases with ((frequently or often) near5 (updated or accessed))) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 10:46
S124	1	"20040193652" and (role\$1 or (role\$1 with user\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 10:13
S123	1	"20040193652" and role\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 10:13
S122	5	"824251".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 10:13

S121	1	"6404445".pn. and search\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 10:12
S120	0	"6404445".pn. and query\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 10:01
S119	2	"6404445".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 10:01
S118	2	"20040068636"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:58
S117	5	"824251".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:32
S116	2	"6738077".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:32
S115	16	S113 and @prad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:09
S114	29	S113 and @rlad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:09
S113	369	((description\$1 or instruction \$1) with (platform? independent))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:09

S63	83	S62 and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:09
S112	14	(customer\$1 and (order\$1 with updat\$3 with frequent \$2)) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:08
S111	42	(customer\$1 and (order\$1 with updat\$3 with frequent \$2)) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:08
S110	41	S108 and @prad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:08
S109	44	S108 and @rlad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:08
S108	676	((description\$1 or instruction \$1 or method\$1 or code\$1) with (platform\$1 near4 (dependent\$2 or indepent \$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:08
S57	143	S56 and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:08
S53	75	(customer\$1 and (order\$1 with updat\$3 with frequent \$2)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:08
S107	0	(database same updat\$3 same enumeration\$1) and @prad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:07

S106	11	(database same updat\$3 same enumeration\$1) and @rlad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:07
S105	2	(main with enumeration\$1) and @prad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:07
S104	6	(main with enumeration\$1) and @rlad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:07
S103	152	(updat\$3 with more with frequent\$2) and @prad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:07
S43	28	(main with enumeration\$1) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:07
S40	16	(database same updat\$3 same enumeration\$1) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:07
S102	420	(updat\$3 with more with frequent\$2) and @rlad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:06
S101	4	(customer\$1 same (order\$1 with updat\$3) same address \$2) and @prad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:06
S100	28	(customer\$1 same (order\$1 with updat\$3) same address \$2) and @rlad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:06

S99	4	(customer\$1 same (order\$1 with updat\$3) same address \$2) and @prad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:06
S98	28	(customer\$1 same (order\$1 with updat\$3) same address \$2) and @rlad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:06
S41	760	(updat\$3 with more with frequent\$2) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:06
S39	46	(customer\$1 same (order\$1 with updat\$3) same address \$2) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:06
S37	46	(customer\$1 same (order\$1 with updat\$3) same address \$2) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:06
S97	896	((order\$1 with updat\$3) same address\$2) and @prad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:05
S96	1080	((order\$1 with updat\$3) same address\$2) and @rlad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:05
S95	1	(entit\$3 with updat\$3 with frequent\$2) and @prad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:05
S94	5	(entit\$3 with updat\$3 with frequent\$2) and @rlad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:05

S93	659	(database with entit\$3) and @prad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:05
S92	2771	(database with entit\$3) and @rlad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:05
S36	2050	((order\$1 with updat\$3) same address\$2) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:05
S35	8	(entit\$3 with updat\$3 with frequent\$2) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:05
S33	3250	(database with entit\$3) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:05
S91	0	((database with entit\$3) with updat\$3 with frequent\$2) and @prad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:04
S90	0	((database with entit\$3) with updat\$3 with frequent\$2) and @rlad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:04
S89	0	(main with enumeration\$1 with updat\$3) and @prad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:04
S88	0	(main with enumeration\$1 with updat\$3) and @rlad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:04

S87	9	707/100-200.ccls. and (((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz \$5) near5 interface\$1) with database\$1) and @prad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:04
S86	39	707/100-200.ccls. and (((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz \$5) near5 interface\$1) with database\$1) and @rlad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:04
S34	2	((database with entit\$3) with updat\$3 with frequent\$2) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:04
S30	1	(main with enumeration\$1 with updat\$3) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:04
S85	0	(main same enumeration\$1 same entit\$3) and @prad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:03
S84	1	(main same enumeration\$1 same entit\$3) and @rlad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:03
S26	103	707/100-200.ccls. and (((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz \$5) near5 interface\$1) with database\$1) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:03
S32	8	(main same enumeration\$1 same entit\$3) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:02
S83	2	"20060195798"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:01

S82	4	707/104.1.ccls. and (((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz\$5) near5 interface\$1) with database\$1) and @prad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 22:00
S81	14	707/104.1.ccls. and (((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz\$5) near5 interface\$1) with database\$1) and @rlad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 21:56
S25	42	707/104.1.ccls. and (((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz\$5) near5 interface\$1) with database\$1) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 21:56
S80	607	707/104.1.ccls. and @prad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 21:55
S79	881	707/104.1.ccls. and @rlad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 21:55
S78	385	(((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz\$5) near5 interface\$1) with database\$1)and @prad<"20031111"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 21:55
S77	886	(((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz\$5) near5 interface\$1) with database\$1)and @rlad<"20031111"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 21:55
S24	1965	707/104.1.ccls. and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 21:55
S12	1636	(((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz\$5) near5 interface\$1) with database\$1)and @ad<"20031111"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 21:55

S76	7	(databases with ((frequently or often) near5 (updated or accessed))) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 21:50
S75	77	(databases with ((frequently or often) near5 (updated or accessed))) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 21:50
S74	7	(databases with ((frequently or often) near5 (updated or accessed))) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 21:50
S73	77	(databases with ((frequently or often) near5 (updated or accessed))) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 21:50
S6	104	(databases with ((frequently or often) near5 (updated or accessed))) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 21:50
S72	385	((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz \$5) near5 interface\$1) with database\$1)and @prad<"20031111"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 21:46
S71	886	((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz \$5) near5 interface\$1) with database\$1)and @rlad<"20031111"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 21:46
S2	1636	((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz \$5) near5 interface\$1) with database\$1)and @ad<"20031111"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 21:46
S70	1	"20040193652" and (first or second)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 14:54

S69	1	"20040193652" and applet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 14:54
S68	2	"5818936".pn. and (log?in or (log near2 in) or authentic \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 14:52
S67	2	"5898136".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 13:16
S66	0	"5898136".pn. and (log?in or (log near2 in) or authentic \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 13:16
S65	0	"6404445".pn. and (log?in or (log near2 in) or authentic \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 13:15
S64	2	"6404445".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 13:13
S62	337	((description\$1 or instruction \$1) with (platform? independent))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:14
S61	1108	((description\$1 or instruction \$1 or method\$1 or code\$1) with (platform? independent))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:14
S60	0	((description\$1 or instruction \$1 or method\$1 or code\$1) with (platform\$1 near4 indepent\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:13

S59	0	((description\$1 or instruction\$1 or method\$1 or code\$1) with (platform\$1 near4 (indepent\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:12
S58	0	((description\$1 or instruction\$1 or method\$1 or code\$1) with (platform\$1 near4 (indepent\$2))) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:12
S56	607	((description\$1 or instruction\$1 or method\$1 or code\$1) with (platform\$1 near4 (dependent\$2 or indepent\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:12
S55	2	"6404445".pn. and (operating or platform\$1 or independent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:03
S27	2	"6404445".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:03
S54	44	(customer\$1 and (order\$1 with updat\$3 with frequent\$2)) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 11:37
S52	2	"6564218".pn. and (order\$1 or customer\$1 or address\$2 or superset\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 11:13
S51	1	"6564218".pn. and (order\$1 or customer\$1 or address\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 11:12
S50	5973267	"6564218".pn. (order\$1 or customer\$1 or address\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 11:11

S49	2	"6564218".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 11:11
S48	2	"6763352".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 10:26
S47	2	"6404445".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 10:25
S46	2	"20040193652" and system	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 10:01
S45	1	"20040193652" and server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 09:48
S44	2	"20040193652"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 09:27
S42	76	S41 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:24
S38	1	(customer\$1 same (order\$1 with updat\$3) same address \$2 same frequent\$2) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:08
S31	0	(main same enumeration\$1 same entit\$3 same updat\$3) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:02

S29	1	"20040193652" and (main or enumeration\$1 or frequent \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:58
S22	2	"20040193652" and (computer or medium or readable or apparatus or stor \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:58
S28	2	"6738077".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:19
S23	6132	707/104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:09
S21	2	"6486895".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 15:08
S20	5	"824251".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 14:55
S13	63	S12 and ((classifi\$7 or Categoriz\$5) with interface \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 10:21
S19	1	"20030084067" and preference\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:50
S18	0	"20030084067" and preference\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:50

S17	8	S13 and (preference\$1 and authentica\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:49
S16	125	S12 and (preference\$1 and authentica\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:28
S4	63	S2 and ((classifi\$7 or Categoriz\$5) with interface \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:28
S15	0	"20050102610" and (preference\$1 or authentica\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:27
S10	0	"20050102610" and java	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:27
S14	55	S13 and request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:09
S11	2	"20040193652" and (description or request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:03
S9	1	"20040193652" and (enumeration or main)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:03
S8	32	S7 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 08:29

S5	2	"20040193652"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/29 15:04
S3	447	S2 and (classifi\$7 or Categoriz \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/29 13:59
S1	1775758	computer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/29 13:55

4/ 16/ 2009 3:32:16 PM**C:\ Documents and Settings\ dmyint\ My Documents\ EAST\ Workspaces\ 10-824-251__1.wsp**